
TABLE OF CONTENTS

BEFORE USING THE PRODUCT, BE SURE TO READ THE FOLLOWING:

TABLE OF CONTENTS

INTRODUCTION

1. HANDLING PRECAUTIONS	1
2. PRECAUTIONS REGARDING INSTALLATION LOCATION	5
3. PRECAUTIONS REGARDING PRODUCT OPERATION	8
4. NAMES OF PARTS	17
5. ACCESSORIES	18
6. ASSEMBLY AND INSTALLATION	22
7. CARD READER/WRITER.....	40
7-1 SETTING DEDICATED CARDS.....	40
7-2 HEAD CLEANING	42
7-3 CLEARING CARD JAMS	43
8. PRECAUTIONS WHEN MOVING THE MACHINE.....	45
8-1 MOVING THE MACHINE	45
8-2 DISASSEMBLING AND MOVING THE MACHINE	48
9. GAME DESCRIPTION.....	60
10. TEST AND DATA DISPLAY	71
10-1 SWITCH UNIT AND COIN METER	72
10-2 SYSTEM TEST MODE	74
10-3 GAME TEST MODE.....	89
11. STEERING UNIT	109
11-1 ADJUSTING AND REPLACING THE Y-AXIS VR	110
11-2 REPLACING THE MICROSWITCHES	116
11-3 GREASING	119
12. MAINTAINING THE BASE INTERIOR	120
12-1 ADJUSTING AND REPLACING THE STEERING VR.....	121
12-2 ADJUSTING AND REPLACING THE ROLL VR	125
12-3 GREASING	128
12-4 MAINTAINING THE SEAT MOTION MECHANISM.....	129
13. ACCELERATOR & BRAKE	131
13-1 ADJUSTING OR REPLACING THE VOLUME	131
13-2 GREASING	132
14. COIN SELECTOR	133
15. MONITOR.....	134
15-1 CAUTIONS AND WARNINGS CONCERNING THE SAFETY FOR HANDLING THE MONITORS.....	135
15-2 CLEANING THE CRT SURFACES.....	135
15-3 ADJUSTMENT PROCEDURE	136
16. REPLACING THE FLUORESCENT LAMPS.....	139
17. PERIODIC INSPECTION TABLE	141
18. TROUBLESHOOTING	143
18-1 CARD READER/WRITER.....	143
18-2 GAME BOARD-RELATED ERROR MESSAGES	145
18-3 DRIVE BOARD 7-SEG MESSAGES	150
18-4 OTHER MECHANICAL ERROR MESSAGES (EXCL. CARD READER/WRITER)	152
18-5 PROBLEMS NOT COVERED BY ERROR MESSAGES	153
19. GAME BOARD	159
19-1 REMOVING THE GD-ROM DRIVE	160
19-2 REMOVING THE GAME BOARD (TRIFORCE)	162
19-3 COMPOSITION OF THE GAME BOARD	163
19-4 REPLACING THE MAIN BOARD BATTERY	164
19-5 REPLACING THE DIMM BOARD BATTERY PACK	165
19-6 SHIPPING THE GAME BOARD AND GD-ROM DRIVE	169
20. DESIGN RELATED PARTS	171
21. NETWORK PLAY	174
21-1 PRECAUTIONS REGARDING NETWORK PLAY SETUP.....	174
21-2 CONNECTING NETWORK CABLES	176
21-3 NETWORK PLAY SETTINGS	179
21-4 GENERAL PRECAUTIONS REGARDING NETWORK PLAY.....	180

22. PARTS LIST	181
23. WIRE COLOR CODE TABLE	242
24. WIRING DIAGRAM	243

SPECIFICATIONS

Installation space	: 1,200 mm (W) × 2,640 mm (D) (47.2 in. × 103.9 in.)
Height	: 2,200 mm (86.6 in.)
Weight	: 527 kg (1,161.8 lbs.)
Power, maximum current	: 371 W 4.02 A (AC 120 V 60 Hz AREA) 375 W 2.22 A (AC 220 V 50 Hz AREA) 383 W 2.24 A (AC 220 V 60 Hz AREA) 391 W 2.2 A (AC 230 V 50 Hz AREA) 400 W 2.16 A (AC 240 V 50 Hz AREA)
For TAIWAN	
Power, current	: 455 W 4.8 A (MAX.) 250 W 2.6 A (MIN.)
MONITOR	: 29 TYPE COLOR MONITOR

INTRODUCTION

This manual is intended to provide detailed descriptions together with all the necessary information covering the general operation of electronic assemblies, electromechanicals, servicing control, spare parts, etc. as regards the product, **"F-ZERO AX (DX TYPE)**.

This manual is intended for the owners, personnel and managers in charge of operation of the product. Operate the product after carefully reading and sufficiently understanding the instructions. If the product fails to function satisfactorily, non-technical personnel should under no circumstances touch the internal system. Should any malfunctioning occur, turn the power off and unplug the AC Cable (Power Cord), and contact where the product was purchased from.

Use of this product is unlikely to cause physical injuries or damages to property. However, points that require special attention are indicated by thick underlining, the word "IMPORTANT" and the symbol below.



Indicates that mishandling the product by disregarding this display can cause the product's intrinsic performance not to be obtained, resulting in malfunctioning.

IMPORTANT

SEGA ENTERPRISES, INC. (U.S.A.)/CUSTOMER SERVICE
 45133 Industrial Drive, Fremont, California 94538, U.S.A.
 Phone: (415) 701-6580
 Facsimile: (415) 701-6594

Definition of 'Site Maintenance Personnel or Other Qualified Individuals'



Procedures not described in this manual or marked as 'to be carried out by site maintenance personnel or other qualified professionals' should not be carried out by personnel without the necessary skill or technology. Work carried out by unqualified persons may cause serious accidents, including electrocution.

Parts replacement, maintenance inspections and troubleshooting should be carried out by site maintenance personnel or other qualified professionals. This manual includes directions that potentially dangerous procedures should only be carried out by professionals with the appropriate specialized knowledge.

The 'site maintenance personnel or other qualified professionals' mentioned in this manual are defined as follows:

Site maintenance personnel:

Persons with experience in maintaining amusement equipment, vending machines, etc., working under the supervision of the owner/operator of this product to maintain machines within amusement facilities or similar premises by carrying out everyday procedures such as assembly, maintenance inspections, and replacement of units/expendable parts.

Activities to be carried out by site maintenance personnel:

Amusement equipment/vending machine assembly, maintenance inspection and replacement of units/expendable parts.

Other qualified professionals:

Persons employed by amusement equipment manufacturers, involved in design, production, testing or maintenance of amusement equipment. Should have graduated from technical school or hold similar qualifications in electrician/electronics/mechanical engineering.

Activities to be carried out by other qualified professionals:

Amusement equipment/vending machine assembly, repair/adjustment of electrical/electronic/mechanical parts.